





FAST AND EASY



- INTEGRATED MOUNTING SCREWS OR KEYHOLE MOUNTING
- END-TO-END CONNECTION OPTIONS. LINK UP TO 96 FIXTURES
- CONNECTION OPTIONS INCLUDING: DIRECT WIRE TO FIXTURE,
 JUNCTION BOX OR PLUG-IN OPTION



CONSISTENT

- SUPERIOR 90 CRI QUALITY LIGHT
- COLORQUICK™ SELECTABLE CCT
- LONG, MAINTENANCE-FREE LIFE
- ENERGY STAR® CERTIFIED
- T24 CERTIFIED, CALIFORNIA COMPLIANT





BETTERBY DESIGN

- QUALITY ASSURANCE FOR CONSISTENT RELIABILITY
- SEAMLESS DESIGN, CONCEALED HARDWARE, LIGHT DIFFUSING LENS
- MADE FROM HIGH QUALITY DURABLE MATERIAL
- 5 YEAR WARRANTY*

*see terms and conditions at satco.com




COUNTERQUICK...SPEED WITH OPTIONS!

Product-engineered to get the job done!

No matter how you hang it, install it, connect it, link it, wire it, or light it—CounterQUICK™ is designed to help get the job done; with installation solutions that save on labor, quality, and durability that make for a long maintenance free life. Plus, sku-saving selectable CCT at the switch!

It's that quick. It's that easy!



3

3-Ways to Wire it

DIRECT WIRE to fixture.

DIRECT WIRE to JUNCTION BOX.

PLUG into outlet.

2

2-Mounting Solutions

DIRECT MOUNT with integrated mounting screws or **KEYHOLE** mount using included hardware.

1

1-SKU = 3 CCT Colors

3000K/4000K/5000KSelect at the external switch
Change any time.

ENGINEERED FOR EASE OF INSTALLATION

CounterQUICK's internal compartment leaves room to work. Store the connected wire with plenty of room to close the fixture. Integrated mounting screws offer the easiest way to install while knockouts along the back and sides provide additional access points for convenient wiring.

More Space To Work




Ample Wiring Space



Internal & Integrated Mounting Hardware



Keyhole for Alternative Mounting Options



MORE WAYS TO LINK & CONNECT

Each fixture comes with one under cabinet end-to-end wire connector. Additional connectors are available. Connect as many as 22 of the 28" fixtures and 96 of the 8" fixtures.




END-TO-END

CONNECTOR

GO TO NEW LENGTHS WITH EXTENSION CABLES

Optional extension cables link fixtures across large areas, around corners and cabinets, eliminating the need for additional wiring to the power source. Cables come in 6in., 12in., 18in., 24in. lengths and with the extended connectors they can be combined to form varying runs of up to 96 fixtures.



SUPERIOR LIGHT QUALITY COLOR, ENERGY AND SAVINGS

The superior quality of SATCO LED light source means consistent, reliable, maintenance-free light. This LED light source, with a UV stabilized lens, provides beautiful, long lasting illumination. (Rated 40K Hours)



90 CRI

High quality 90 CRI CounterQUICK™ illuminates counter space with a clean, bright light that showcases natural and true color.



ENERGY STAR®

CounterQUICK™ is ENERGY STAR® certified, meeting strict guidelines set by the Environmental Protection Agency.



CALIFORNIA COMPLIANT

CounterQUICK™ is Title 24 Compliant.



SELECTABLE CCT—HIGH/LOW SWITCH

The advanced CCT selection feature and high/low switch is a stocking and installation advantage as well as an added value to property owners. Adjust the light output and select a desired color temperature right at the fixture.

CounterQUICK™ is compatible with most dimmers. For a full listing visit satco.com



COUNTERQUICK™ LED LINKABLE FAMILY







WHAT'S IN THE BOX?









ITEM #	DESCRIPTION	WATTS	LUMENS	VOLTAGE	DIMENSIONS	CONNECTION QTY	
63-500	8in. LED Linkable Under Cabinet Fixture	5	322-366	120	L:8in. W:3.5in. H:1in.	up to 96	
63-501	11in. LED Linkable Under Cabinet Fixture	6.5	408-456	120	L:11in. W:3.5in. H:1in.	up to 72	
63-502	14in. LED Linkable Under Cabinet Fixture	9	577-647	120	L:14in. W:3.5in. H:1in.	up to 48	
63-503	22in. LED Linkable Under Cabinet Fixture	13	859-957	120	L:22in. W:3.5in. H:1in.	up to 36	
63-504	28in. LED Linkable Under Cabinet Fixture	17	1216-1366	120	L:28in. W:3.5in. H:1in.	up to 22	

^{*}Packing: 12/Master

ACCESSORIES




63-511
END-TO-END CONNECTOR
(1 included with fixture)



63-513 PLASTIC JUNCTION BOX (63-512 $\frac{3}{8}$ in. Wire Connector Attached)



63-515(6in.), 63-516(12in.), 63-517(24in.) LINK CABLE



63-518 MALE-TO-FEMALE LINK CONNECTOR



63-514 METAL JUNCTION BOX



63-510 POWER CORD

ITEM #	DESCRIPTION	DIMENSIONS	MASTER	PACKAGE
63-510	Under Cabinet Power Cord	L:60in.	96	Polybag
63-511	Under Cabinet End Connector	L:1in.	96	Polybag
63-512	Under Cabinet 3/8in. Wire Connector	L:1.5in. W:0.67in. H:0.35in.	96	Polybag
63-513	Under Cabinet Junction Box - Plastic	L:4in. W:2in. H:1in.	48	Box
63-514	Under Cabinet Junction Box - Metal	L:4in. W:2in. H:1in.	48	Box
63-515	Under Cabinet Link Cable 6in.	L:6in.	96	Polybag
63-516	Under Cabinet Link Cable 12in.	L:12in.	96	Polybag
63-517	Under Cabinet Link Cable 24in.	L:24in.	96	Polybag
63-518	Under Cabinet Cable Link Connector	L:3in.	96	Polybag



DISTRIBUTION CENTERS

New York (Headquarters)

110 Heartland Blvd., Brentwood, NY 11717Tel. 631-243-2022, Fax: 631-243-2027

Texas

2000 Valwood Parkway, Farmers Branch, TX 75234 Tel. 972-247-2437, Fax: 972-247-5408

Florida

900 N.W. 159th Drive, Miami, FL 33169 Tel. 305-624-2044, Fax: 305-623-0286

California

31288 San Benito Street, Hayward, CA 94544 Tel. 510-487-4822, Fax: 510-487-8955

Washington

4710 116th S.W., Mukilteo, WA 98275 Tel. 425-789-3300, Fax: 425-789-3310

Puerto Rico

Campeche Street. 23 Julio
N. Matos Industrial Park, Carolina, PR 00984
Tel. 787-757-3510, Fax: 787-757-3540

Canada & Mexico

Internationalsales@satco.com/631-243-2022 EXT315

National Toll Free

1-800-437-2826